

# Better Calf Health

Starts Here



## Deworm

**Internal parasite control** is the cornerstone of an effective herd health program.



## Vaccinate

**Defend your herd** from viral and bacterial infections with trusted vaccines.



## Control

**Control external parasites** that increase cattle stress and threaten the productivity of your herd.



## Grow

**Maximize growth potential** in beef calves by optimizing their available nutrition.

Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism.

**SAFE-GUARD® RESIDUE WARNINGS:** Cattle must not be slaughtered within 8 days following treatment. A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal. Goats must not be slaughtered for food within 6 days following treatment. Because a withdrawal time in milk has not been established, do not use in lactating goats. For dairy cattle, there is no milk withdrawal period.

A withdrawal period has not been established for Ralgro in pre-ruminating calves. Do not use in calves to be processed for veal. For complete information, refer to product label.

2 Giralda Farms • Madison, NJ 07940 • [merck-animal-health-usa.com](http://merck-animal-health-usa.com) • 800-521-5767  
Copyright © 2020 Intervet Inc., d/b/a/ Merck Animal Health, a subsidiary of Merck & Co., Inc.  
All rights reserved. 4352-MERCK-SPRING-CALF-HEALTH-AD | US-DBB-191100002



**MERCK**  
Animal Health