Safe-Guard[®] (fenbendazole) Your Dog

Safety is important when it comes to the products you select to protect your dog's health.

With SAFE-GUARD (fenbendazole), you are not only getting a highly effective treatment for eliminating a variety of intestinal worms, including six species of the four most common worm types found in outdoor dogs, but you're also getting an extremely safe product.

That's because fenbendazole, the active ingredient in SAFE-GUARD, features a unique mode of action that makes it highly potent to the parasite yet incredibly safe for your dog. Fenbendazole is uniquely attracted to the cells of the parasite rather than the cells of the dog. This is what makes it safe for all dogs, including puppies and pregnant females. The unique three-day dosing regimen works best to ensure that all four major types of parasites are treated safely and completely. And, there are no contraindications with SAFE-GUARD so it should be compatible with other medications your dog may be taking.

Did you know?

Roundworms and hookworms can cause zoonotic disease, meaning they can cause illnesses in people too, especially children. That's why preventing parasite infestations in dogs is not only important for the overall health of the dog, but also reduces human health risks.



Application Instructions

- Weigh your dog to make sure you are using the correct dosage.
- Follow the box directions for daily dosage requirements. (see chart insert)
- The same dosage must be administered for three consecutive days.
- Do not stop treatment before the end of the three-day treatment period.

Your veterinarian is your dog's other best friend. It is a good idea to schedule regular visits to discuss your pet's overall health and immunization program.

Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism.

Approximately 1% of dogs had vomiting associated with the use of this product. SAFE-GUARD Canine Dewormer has no known drug interactions and is an ideal complement to monthly heartworm prevention products, which may not protect against all four major types of intestinal worms.

Why settle for treating fewer worms? Get 4 in 1 treatment when you Safe-Guard Your Dog.

All trademarks are property of their respective owners © 2017 Intervet Inc., d/b/a Merck Animal Health, a subsidiary of Merck & Co., Inc. All rights reserved. RET-K9-3695-BROCHURE US/SGCD/0917/0006



Live Free

Keep Your Dog Safe from Intestinal Parasites

safe-guard

Canine

Dewormer

safe-guard **Canine Dewormer**

safe-guard'

Canine 🕼

Dewormer



Treat More Worms Why settle for less? Treat and control the worms of greatest risk to the outdoor dog.



Using Fewer Drugs SAFE-GUARD treats all these worms with only one compound, fenbendazole. So you can treat more with less, minimizing your dog's chemical exposure.

With Proven Safetv¹ SAFE-GUARD is safe for puppies 6 weeks of age or older and pregnant females as well as adult dogs of all breeds. So it's never too early or too late to start.

Keep them Safe with Safe-Guard Find out more about deworming at www.safe-guard-for-dogs.com

¹Data on file.

醋 🥢

safe-guard

anine

MERCK

Dewormer

Deworm More Effectively

If your dog is at his happiest when he's outside, you need SAFE-GUARD (fenbendazole) to protect him on the inside. SAFE-GUARD treats the 4 major intestinal worm types common to the outdoor dog.





Dangerous Parasites to the Outdoor Dog

The more your dog is outside, the greater the risk of infection.

Roundworms

- Female worms lay several thousand eggs a day, which are passed in the feces.
- Eggs can survive in the environment for several years.
- Canine roundworm infections are zoonotic meaning they can be transmitted from animals to humans.

Hookworms

- Female worms lay eggs by the thousands which are passed in the feces.
- Eggs survive well in mild temperatures, shade and moist soil or grass.
- Outdoors dogs can be infected and re-infected by accidently eating the eggs or larvae (immature worms) in the environment.

Taenia Tapeworms

- Tapeworms consist of a head from which a series of segments grow.
- Eggs are found in the individual segments which are passed in the feces.
- Rabbits or rodents accidentally ingest the eggs when grazing.

Think your heartworm treatment has your dog covered? Think again.

While many heartworm treatments include roundworm and hookworm protection, they may not treat tapeworms and whipworms, which can be especially problematic for outdoor dogs.

Whipworms

- Whipworms infect not only dogs, but also wildlife such as foxes and coyotes.
- Eggs are passed to the environment in the feces on an intermittent basis where they remain.
- Not all dewormers are effective against whipworms.

Know The Enemy

Parasite sources, symptoms & prevalence

		2	3	4
ENEMY	ROUNDWORM	HOOKWORM	TAENIA TAPEWORM	WHIPWORM
INFESTATION SOURCE	Soil or feces, mother	Mother, soil, feces, through pads on feet	Rabbit, rodents	Ingestion of feces or soil
SYMPTOMS	Diarrhea, vomiting, stunted growth, rough coat, bloated belly	Weight loss, anemia, bloody diarrhea	Itching, weight loss, segments visible in stool	Diarrhea, anemia, dehydration, loss of appetite
PREVALENCE	Widespread in North America, infects nearly all puppies, eggs survive in soil for several years	Also common in North America, multiple infestation sources, consumes dog's blood causing anemia and other symptoms	More common in outdoor dogs since source is infected rabbits or rodents, hard to diagnose	Growing concern in recent years; more common in outdoor dogs due to potential contact with foxes and coyotes, which act as source of infection

Flea and tick treatments help prevent infections from the parasites they carry. But Taenia pisiformis tapeworm is carried by rabbits and rodents, the prey of many outdoor dogs.





CANINE DEWORMER COMPARISON CHART

BRAND ►		safe-guard [®]	Bayer Quad Dewormer	Triple Wormer D-Worm [™] Combo WormX Plus®	D-Worm [™] Tablets Nemex®-2 WormX®	D-Worm [™] Liquid	D-Worm [™] Tapeworm
		FENBENDAZOLE	Praziquantel / Pyrantel Pamoate / Febantel	Pyrantel Pamoate / Praziquantel	Pyrantel Pamoate	Piperazine	Praziquantel
PARASITE	ROUNDWORM	~	~	~	~	~	
	HOOKWORM	~	~	~	~		
	TAENIA TAPEWORM	✓	~	~			~
	WHIPWORM	~	~				

DOSAGE CHART

DOG	10	20	30	40	50	60	80	80+
WEIGHT	LBS	LBS	LBS	LBS	LBS	LBS	LBS	LBS
PACKET SIZE	1 gram	2 gram	1 gram + 2 gram	4 gram	1 gram + 4 gram	2 gram + 4 gram	4 gram + 4 gram	Use combination to obtain recommended daily dose

SAFE FOR ALL DOGS

House Pets Show Dogs › Working Dogs › Pregnant Dogs

- > Heartworm-Infected Dogs* > Elderly Dogs

*SAFE-GUARD (fenbendazole) Canine Dewormer does not treat heartworms.

› Young Puppies over the age of 6 weeks

