

DOSE & DONE

Goat deworming made simple



safe-guard[®]
(fenbendazole)

Parasite infections in goats can lead to improper digestion, reduced feed intake, weight loss, anemia, and even death. SAFE-GUARD[®] (fenbendazole) provides effective treatment and control of dangerous barber pole worms and stomach worms.

[LEARN MORE >](#)

FREE Drench Gun Offer

Ensure you dose properly with our 20 mL SAFE-GUARD Drench gun. Free with your purchase of six (6) 125 mL bottles of SAFE-GUARD or one (1) liter bottle of SAFE-GUARD.

[GET REBATE >](#)

IMPORTANT SAFETY INFORMATION FOR SAFE-GUARD

Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism.

SAFE-GUARD RESIDUE WARNINGS: Goats must not be slaughtered for food within 6 days following treatment. Because a withdrawal time in milk has not been established, do not use in lactating goats.

Copyright ©2020 Intervet Inc., d/b/a Merck Animal Health, a subsidiary of Merck & Co., Inc. All rights reserved. [Insert Dealer opt-out/privacy information here] This email was sent on behalf of Merck Animal Health, 2 Giralda Farms Madison, NJ, 07940, UNITED STATES
[Merck Animal Health](#)