

# Marketing Resources Summer '23

Stay informed about our **summer seasonal** tool kit with this digital guide or visit our site at **MoreRetailPower.com**.

## **Educational Resources**

#### SHARPEN YOUR SKILLS WITH THESE SUGGESTED SEASONAL MODULES.

Enjoy a sneak peek at our training modules for spring products below. We have several ways for you to offer this training to your employees, which include:

- Utilizing our training platform, www.PartnerTraining365.com.
- Downloading our modules on MoreRetailPower.com to upload to your LMS.
- Downloading our Merck Minute 1-page training sheets on <u>MoreRetailPower.com</u> to keep at your registers or in your break room.

Visit one of the above sites or contact your Merck Animal Health sales rep for more information.

## **CATTLE**



#### **HORSE**



#### DOG



### **GOAT**





Contact your Merck Animal Health representative or visit **MoreRetailPower.com** for more information.

Click images to learn MORE!

## **Cattle Health Focus**

#### WHEN PASTURES ARE GREEN, CATTLE STILL NEED CARE.

Summer is when internal parasites are most active and when external parasites and the organisms they carry can cause stress and harm herd health.

## **Controlling Parasites**

SAFE-GUARD® (fenbendazole) features broad-spectrum activity against internal parasites. **Choose one** of several great options of form and application.

# SAFE-GUARD® (fenbendazole) PRODUCTS FOR PASTURE DEWORMING



ENPROAL® Molasses Block UIN: 069291 UPC: 021784801256



Protein Block
UIN: 069291
UPC: 021784801256



Range Cubes UPC: Varies by manufacturer



O.5%

Dewormer
Pellets

UPC: Varies by manufacturer
Sizes: 1lb. Bag, 5 lb. Bag, 10 lb. Bag and 25 lb. Bag



32SG Mineral Type C Medicated Feed UPC: Varies by manufacturer

## Pinkeye Prevention

Pinkeye vaccinations and insecticides can help reduce stress and keep herds safe for summer. **Choose one** of two vaccine options and add ear tags and a pour-on to complete the package.

## PRODUCTS FOR PINKEYE CONTROL




BOVILIS® PILIGUARD® PINKEYE 10 DOSE UIN: 065410

UPC: 662858029123 50 DOSE UIN: 143130 UPC: 662858029147



BOVILIS® 20/20 VISION® 7 with SPUR®

10 DOSE UIN: 069083 UPC: 662858097023 50 DOSE UIN: 069084 UPC: 662858040593





**Scan for MORE** 



DOUBLE BARREL® VP Insecticide Ear Tags UIN: 067807

UPC: 300615004012



ULTRA BOSS® Pour-on Insecticide

QUART UIN: 066780 UPC: 300615030011 GALLON UIN: 066745 UPC: 300615030028



ULTRA SABER™ Pour-on Insecticide 900 mL


UIN: 055427 UPC: 300615478011 GALLON UIN: 055421 UPC: 300615478028

<sup>\*</sup>See back for important safety information.

## **Cattle Advertising**







## **Cattle Merchandising**



## Horse Health Focus: Internal Parasite Control

#### THESE GREAT BRANDS STAY IN-DEMAND.

SAFE-GUARD® (fenbendazole) and PANACUR® (fenbendazole) are two of the most trusted dewormer brands for horse owners. And between them, they offer many forms, sizes, and treatment options for your shoppers.

Make sure you place them on your shelves and are using the great marketing resources they come with to capture shopper's attention and promote purchases.

## PRODUCTS FOR PARASITE CONTROL



SAFE-GUARD® (fenbendazole) 92gm Paste

UIN: 066958 UPC: 021784471923



PANACUR® (fenbendazole) POWERPAC

UIN: 114001 UPC: 21784471572



SAFE-GUARD® (fenbendazole) 25gm Paste 36 tubes

UIN: 003468 UPC: 21784471367

SAFE-GUARD® (fenbendazole) 25gm Paste 12 tubes

UIN: 064832 UPC: 21784047128



PANACUR® (fenbendazole) 25 gm Paste

UIN: 069273 UPC: 021784471121



EQUI-BITS® FENBENDAZOLE TYPE C MEDICATED FEED

UIN: 004681 UPC: 021784046817



Don't forget about our full line of PRESTIGE® vaccines



Contact your Merck Animal Health representative or visit **MoreRetailPower.com** for more information.

## **Equine Advertising**

## **PRINT**



EQUI-BITS® Pour



**PRESTIGE® True Colors** 

## **SOCIAL**



**EQUI-BITS® Pour** 



PRESTIGE® True Colors

## **DIGITAL ADS**











**PRESTIGE® True Colors** 

300X250, 728X90, 300X600 & 320X50



**EQUI-BITS® POUR** 300X250, 728X90, 300X600 & 320X50

# Don't see what you're looking for?



Scan for MORE

## **MERCHANDISING**



Mode of Action Shelf Kit RET-4870-MOA-Kit Dangler: 4"W x 8.5" H Aisle Invader: 7.75" W x 17.5" H



Multi-Species Powerwing SG-3301-POWERWING L: 14.44" x W: 5.31" x H: 56.38"



**Equine Powerwing** EQ-SG-3387-POWERWING 10.81" W x 6.13" D x 53.81" H



**EQUI-BITS® Dangler** 4871-SG-EQUI-BITS 4.75" W x 9" H



PANACUR® POWERPAC Shelf Talker US-PAN-210500001 9" W x 3.5" H

## **Dog Health Focus**

## PRODUCTS FOR PARASITE CONTROL







**UIN:** 040694

## **ACTIVYL®** Protector **Band for Dogs**

Single Collar **UIN:** 188779 UPC: 8713184157881 Display Carton (6 boxes) **UIN:** 188779 UPC: 8713184157898





SOCIAL



**ACTIVYL®** 

#### SAFE-GUARD® (fenbendazole) Canine Dewormer

**UIN:** 034906

Single Box UPC: 021784470124

Display Box (8 boxes) UPC: 021784349062

UIN: 033576

Single Box UPC: 021784470223 Display Box (8 boxes) UPC: 021784423052

Single Box UPC: 021784470421 Display Box (8 boxes) UPC: 021784421652

## PRINT



Live Free Print Ad



ACTIVYL® Canine Sell Sheet

### **eCOMMERCE**



SAFE-GUARD®



**ACTIVYL®** 

## **MERCHANDISING**



**Canine Shelf Merchandiser** RET-SG-4663-CANINE-SHELF-MODULE

Specs: 12" W  $\times$  10" D  $\times$  2.75" H (6" H w/product)



**ACTIVYL®** Clip Strip Display Kit 3974-ACTIVYL-RETAIL-MERCHANDISING-CLIPSTRIP Specs: 4" W x 23.5" H

## **DIGITAL ADS**



SAFE-GUARD®



**ACTIVYL®** 

Click images to learn MORE!

<sup>\*</sup>See back for important safety information.

## **Goat Health Focus**

Today's goat industry demands a strong herd health program. Effective deworming for internal parasites, vaccinating for clostridial diseases, and controlling of external parasites combined with good management is essential for goat health.

Merck Animal Health offers a triad of products created specifically to meet the health needs of goat producers everywhere.

### PRODUCTS FOR GOAT HEALTH



#### SAFE-GUARD® (fenbendazole) 125 mL Dewormer

UPC: 021784045377 UIN: 004537

\*Goat packaging available at the end of 2023



## BOVILIS® VISION® CD-T 50 Dose

UPC: 69096 UIN: 662858012798



## ULTRA BOSS® POUR-ON INSECTICIDE

Quart UPC: 065590 UIN: 300615260029

Gallon UPC: 065589 UIN: 300615260012

### **DIGITAL ADS**



**Better Goat Health** 

160×600, 300×250, 320×50, 728×90



#### Dose & Done Rebate

160×600, 300×250, 320×50, 728×90

## **MERCHANDISE**



125 mL Goat Shelf Label

BV-SG-Goat Tray Label 2.95" W x 3.279" H



## Better Goat Health Dangler

RET-4529-GoatHealth-Dangler 5" W x 9" H



# DOSE & DONE Gold down ming. THE RIGHT DRENCH GUN THE RIGHT DRENCH GUN

#### **Dose & Done Wobbler** RET-SG-Goat Rebate

RET-SG-Goat Rebate 5" W x 9" H

Better Goat Health Solution Center Header

US\_SFG\_210500002 - 4058 Powerwing Goat 14" W x 7" D x 36" H

## SOCIAL



**Better Goat Health** 



Dose & Done

<sup>\*</sup>See back for important safety information.

## \*IMPORTANT SAFETY INFORMATION

#### CATTLE

SAFE-GUARD®: Do not use in beef calves less than 2 months old, dairy calves and veal calves. A withdrawal period has not been established for this product in pre-ruminating calves. Additionally, the following meat withdrawal and milk discard times apply: Safe-Guard Paste: Cattle must not be slaughtered for 8 days. For dairy cattle, the milk discard time is 96 hours. Safe-Guard Suspension: Cattle must not be slaughtered for 8 days. For dairy cattle, the milk discard time is 48 hours.

SAFE-GUARD® ENPROAL® Type C Medicated Block: Cattle must not be slaughtered for 11 days. For use in beef cattle only.

SAFE-GUARD® 20% Protein Type C Medicated Block: Cattle must not be slaughtered for 16 days. For use in beef cattle only. Safe-Guard Type A and other medicated feed products (pellets, cubes, free-choice mineral, or free-choice liquid): Cattle must not be slaughtered for 13 days. For dairy cattle, the milk discard time is 60 hours.

RALGRO® (zeranol): A withdrawal period has not been established for preruminating calves. Do not attempt to salvage implant site for human or animal food. Implant pellets in the ear only. Do not use in bulls or in heifers - before 1 month of age or after weaning - if intended for reproduction. Do not use in dairy animals and calves to be processed for veal.

#### HORSE

SAFE-GUARD®/PANACUR®: Consult your veterinarian for the diagnosis, treatment and control of parasitism. Do not use in horses intended for human consumption.

#### DOG

Your dog must wear an ACTIVYL® Protector Band for 1 to 2 weeks before protective levels are established over the entire body. Maximum effectiveness may not occur for up to 3 weeks, so it's best to apply the Activyl® Protector Band at least 10-14 days before you anticipate tick and flea exposure.

SAFE-GUARD®: For animal use only. Do not use in pups younger than 6 weeks. Do not deworm a dog or puppy that is sick. Approximately 1% of dogs had vomiting associated with the use of this product. Consult your veterinarian for help in the diagnosis, treatment and control of parasitism.

#### GOAT

Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism. Goats must not be slaughtered for food within 6 days following treatment. Because a withdrawal time in milk has not been established, do not use in lactating goats.



Contact your Merck Animal Health representative or visit **MoreRetailPower.com** for more information.

