



2018
MERCK
REBATE
PROGRAM

EXTRAORDINARY SAVINGS
FOR YOUR EXTRAORDINARY PET.

RECEIVE **\$15 REBATE** FOR 2 DOSES

MIX, MATCH, AND SAVE WHEN YOU PURCHASE ANY BRAVECTO® PRODUCT!

TERMS AND CONDITIONS:

Offer may only be redeemed by the pet owner. Must be 18 years or older to redeem. By registering for the program you consent to opt-in to the program. You may unsubscribe at any time. To receive a rebate, all fields must be completed. An original detailed invoice with purchase price must be submitted with a copy of the rebate details. Rebate submission, including original invoice, must be received by January 31, 2019. Invoice must reflect a Two (2) dose purchase of Bravecto (Fluralaner)* and/or Bravecto (Fluralaner topical solution)*. Offer valid for purchases made during the program period, between January 1, 2018 and December 31, 2018. Limit 10 rebates per household. Rebate check amount will not exceed the amount of the qualifying purchase. Purchases from online pharmacies or other retail outlets not associated with your veterinary clinic are not valid. Merck Animal Health reserves the right to decline submissions for purchases from unauthorized distributors. Void where prohibited by law. Please allow approximately 6 to 8 weeks for rebate check delivery. Unless expressly prohibited by law, payee authorizes reasonable dormancy fees deducted if check not cashed within 180 days. For rebate inquiries call 855-496-0146. May not be combined with any other offers. Offer available on purchases from clinics in the fifty (50) United States or the District of Columbia only. MERCK ANIMAL HEALTH RESERVES THE RIGHT TO CHANGE OR WITHDRAW THE PROGRAM AT ANY TIME.

PLEASE SEE FULL PRESCRIBING INFORMATION WITHIN PRODUCT PACKAGING. TO LEARN MORE ABOUT BRAVECTO, VISIT BRAVECTO.COM.

BRAVECTO®
(FLURALANER)

BRAVECTO®
(FLURALANER)
TOPICAL SOLUTION



TWELVE-WEEK®
PROTECTION

*Bravecto kills fleas and prevents flea infestations for 12 weeks. **Bravecto Chew and Bravecto Topical for Dogs** kills ticks (black-legged tick, American dog tick, and brown dog tick) for 12 weeks and also kills lone star ticks for 8 weeks. **Bravecto Topical for Cats** kills ticks (black-legged tick) for 12 weeks and American dog ticks for 8 weeks.



KEEP YOUR PET FREE OF FLEAS AND TICKS.



2018
MERCK
REBATE
PROGRAM

Redeem your offer online or by mail

Online rebate instructions

- Step 1** Go to Rewards.MyPet.com
- Step 2** Click 'Submit An Offer' and enter BRAV201801
- Step 3** Follow the online step-by-step instructions to submit your rebate online. Keep a copy of all materials submitted for your records.

Offer expires 12/31/2018

If you have any questions about this offer, please call 855-496-0146

Mail-in rebate instructions

- Step 1** Complete the information listed below
- Step 2** Enclose itemized invoice from your veterinary clinic or authorized Merck retailer, with Bravecto product and price circled. Important: Keep copies of all materials submitted for your own records.
- Step 3** Mail this completed form and itemized invoice to:
Merck Rebate Center
Offer Code: BRAV201801
P.O. BOX 426027
Del Rio, TX 78842-6027

Name[†]: _____

Street Address[†]: _____

City[†]: _____

State[†]: _____ Zip[†]: _____

Phone Number[†]: _____

Email[†]: _____

Clinic[†]: _____



†Must be completed to qualify for rebate.

I am interested in receiving communications from Merck Animal Health relating to pet health, wellness, and programs.

IMPORTANT SAFETY INFORMATION: Bravecto has not been shown to be effective for 12-weeks' duration in puppies or kittens less than 6 months of age. **Bravecto Chew:** The most common adverse reactions recorded in clinical trials were vomiting, decreased appetite, diarrhea, lethargy, polydipsia, and flatulence. Bravecto is not effective against lone star ticks beyond 8 weeks of dosing. **Bravecto Topical for Dogs:** The most common adverse reactions recorded in clinical trials were vomiting, hair loss, diarrhea, lethargy, decreased appetite, and moist dermatitis/rash. Bravecto is not effective against lone star ticks beyond 8 weeks of dosing. For topical use only. Avoid oral ingestion. Use caution in dogs with a history of seizures. Seizures have been reported in dogs receiving fluralaner, even in dogs without a history of seizures. **Bravecto Topical for Cats:** The most common adverse reactions recorded in clinical trials were vomiting, itching, diarrhea, hair loss, decreased appetite, lethargy, and scabs/ulcerated lesions. Bravecto is not effective against American dog ticks beyond 8 weeks of dosing. For topical use only. Avoid oral ingestion. The safety of Bravecto has not been established in breeding, pregnant and lactating cats. Use with caution in cats with a history of neurologic abnormalities. Neurologic abnormalities have been reported in cats receiving Bravecto, even in cats without a history of neurologic abnormalities.